

Docket No.: 0283-0178P  
(PATENT)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

---

In re Patent Application of:  
Yuji IMAIZUMI et al.

Allowed: November 14, 2005

Application No.: 10/664,165

Confirmation No.: 4193

Filed: September 17, 2003

Art Unit: 1621

For: POTASSIUM CHANNEL OPENER

Examiner: E. O. PRICE

**PETITION TO WITHDRAW APPLICATION FROM  
ISSUE PURSUANT TO 37 CFR 1.313 (c) (1-3)**

MS Post Issue  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Petitioner hereby petitions the Commissioner to withdraw the above-identified application from issue. The Issue Fee in this application was timely paid on February 13, 2006.

It is requested that the above-mentioned application be withdrawn from Issue for the following reason:

☐ Unpatentability of one or more claims, which petition must be accompanied by an unequivocal statement that one or more claims are unpatentable, an amendment to such claim or claims, and an explanation as to how the amendment causes such claim or claims to be patentable (37 C.F.R. § 1.313(c)(1));


☒ **Consideration of a request for continued examination in compliance with § 1.114 (37 C.F.R. § 1.313(c)(2)); or**

☐ Express abandonment of the application. Such express abandonment may be in favor of a continuing application (37 C.F.R. § 1.313(c)(3)).

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fee required under 37 C.F.R. §§ 1.16 or 1.17; particularly, extension of time fees.

Dated: April 9, 2007

Respectfully submitted,

By   
\_\_\_\_\_

Raymond C. Stewart  
Registration No.: 21,066  
BIRCH, STEWART, KOLASCH & BIRCH, LLP  
8110 Gatehouse Road, Suite 100 East  
P.O. Box 747  
Falls Church, Virginia 22040-0747  
(703) 205-8000  
Attorney for Applicant